

Phone: +61 7 5528 2338 Fax: +61 7 5531 1979 Email: info@raywhitemarine.com Website: www.raywhitemarine.com

Marina Mirage, Seaworld Drive, Main Beach Gold Coast, Queensland 4217



Under instructions from Andrew Fielding & David Whyte of BDO as receivers and managers of the vessel.



2008 76FT Vitech Motor Yacht

FOR SALE



Ray White. Marine

Specifications

Boat Details

Price Model Year Hull Style Power Type Condition Suburb FOR SALE 76ft 2008 Single Power Used MAIN BEACH

Boat Brand Length Category Hull Type Stock Number State Engine Make Vitech 23.20 Motor Yachts GRP 0 Queensland CATERPILLAR

Disclaimer



Description

Specifications for 76FT Vitech Motor Yacht

REBEL May 08

Length overall: 76FT 23.2 m Beam: 19FT 5.8m Displacement: approx. 58 tons Fuel: 8260 liters Water: 1,000 liters Engines: Twin CATERPILLAR C15 865HP, diesels Top speed: around 16 knots

A total of 10 stainless steel cleats, with the necessary hawse pipe are installed on both sides of the boat (incl. 2 retracting cleats on the swimming platform).

Insulation

Soundown insulation below waterline in all areas other than engine room. Extra sound insulation between engine room and master head, master cabin and forward landing and between engine room and aft VIP cabin.

Chain locker

The chains compartment is placed ahead of the watertight collision bulkhead.

On the deck there are two hinged hatches for the inspection of the chain locker. Two fiberglass hanging baskets inside, being able to be lifted by s/s handles. The chain is fixed to the deck beams by means of a quick-release hook, near the hatches openings. The bottom of the chain locker is placed above the waterline and self drains through a scupper aside the stem post.

Anchor system comprises of:

- Maxwell anchor windlass, with controls at both helm stations and water proofed step controls at bow.
- 60 kg SS anchor Plow
- Bow rollers.
- Anchor protection on hull.
- 110 meters anchor chain with first 2 meters in stainless steel.
- Sea water anchor wash with spray nozzles on bow.

Hatches.

An opening hatch, which acts both as an escape hatch, as well as a skylight is positioned over the VIP stateroom. Another escape hatch is located in the dining area, for MSR escape.

Windows, doors, portholes, manhole

All external windows, above deck will be frameless, directly bonded to the fiberglass. Front wind shield is 10 mm tempered glass, plain. Side windows are 6 mm, lightly tinted grey. One galley window can open.

Disclaimer



Website: www.raywhitemarine.com

Marina Mirage, Seaworld Drive, Main Beach Gold Coast, Queensland 4217

The saloon entrance door from afterdeck has stainless steel frames and tempered lightly tinted glass. The door is manual opened. Stoppers are in position for the door slide when opened.

The aft cabin entry and head doors, the master entry door, the two master head and wardrobe doors are solid timber, with extra thick jams and hinges.

One side door is fitted aside the dinette. The yacht is equipped with stainless steel opening oval shaped portholes. They have 8 millimeters security glass and are all fitted with insect screens.

Handrails

All the handrails are built with 316 grade stainless steel, 50 millimeters diameter on bulwark and 40 millimeters elsewhere. Staunchions are 32 mm and they sit into a station base which is bolted to the top of the bulwark, without plates. Opening of the rail and bulwark sections on the sides of the handrail are provided, for side boarding.

Fly bridge

Molded with PVC foam sandwich, the fly bridge has teak flooring forward of crane, non-skid GRP aft of crane. External furniture and a helm station are also molded in sandwich construction. The fly bridge supports a hard-top and integrated radar arch, with KVH G6 Track vision and Tracphone Satellite domes.

The hardtop has 8 reset down lights and 2 speakers. Two blue color LED night lights under, separately switched on lower helm Otherwise, the fly bridge has:

- Access hatch & steps from after deck. Stainless with glass
- Access hatch & steps from dinette. Stainless with glass
- High U-frame removable rails on aft section.

Stainless steel #316 handrail with acrylic windshield, extended aft wards to ensure safe rail height GRP helm seat box with electrical height adjustable seat, reversible back support Fiberglass cabinet on aft section, with doors and locker with U-Line Fridge/icemaker and Smeg BBQ with cabinet under for gas bottle and stowage, with vent. Opecmare model 3010/37, 400Kg crane.

Zodiac 380 Yachtline centre console tender with 40HP Yamaha 4 stroke outboard Stern flag pole socket

Stairs down to aft deck with blue step LED lights on each step, switched on lower helm

- 5 underwater lights, Sea Vision model SV10
- Sun bathe cushions
- · Removable stainless rail chocks for tender
- Two flood lights to swim platform, switched from aft deck
- PAR remote controlled search light at forward brow, controllers on both stations
- Molded L-shaped sofa with cushion covers to port side.
- Coffee table on SS pedestal.

Upper Helm Station Power assisted hydraulic steering system off engine pump Kobelt electronic gear and throttle controls Stainless steel/teak steering wheel Start stop engines keys Audible and visual engine alarms Engine RPM gauges LCD CAT

Disclaimer



Phone: +61 7 5528 2338 Fax: +61 7 5531 1979 Email: info@raywhitemarine.com Website: www.raywhitemarine.com

Marina Mirage, Seaworld Drive, Main Beach Gold Coast, Queensland 4217

Naiad combined bow and stern thruster control panel Remote windlass control with chain meter Search light remote control Marine horn with control on both stations Magnetic compass Naiad Stabilizer control Raymarine: 2 X E120 Multi Display 1 X ST8002 Autopilot Control Head 1 X ST290 Graphic 1 X ST290 Compass 1 X DSM300HD Digital Module 1 X Ray240E VHF Radio 1 X E Series Remote Station Kit with E02009 15" 1 X ST290 Wind Remote Sun View VGA Monitor ISCAN180 Interphase forward looking sonar display 4 X Raystar 125 SDGPS Antenna 1 X 4KW 6' Open Array Radar System 1 X ST100 Wireless Autopilot Remote with one base station. Engines and drive train Twin Caterpillar C15 with 865HP, diesel ZF gear box 325A 2.417:1 reduction ratio PTO on both engines Engine seawater intake Y-valve bilge system Fresh water-cooled engines **Double Racor fuel filters** 2-3/4" diameter of stainless steel shafts 5 bladed propellers Main & intermediate stainless steel I struts Easy accessible shaft logs with Tides shaft seal Naiad 35 hp hydraulic bow thruster Naiad 25 hp hydraulic stern thruster Naiad hydraulic stabilizers Deck fittings Bow roller & chain locker with hatch Salt-water anchor wash down with Xcalibre Head Hunter pump and sprays on bow, switched on lower and upper helm Fresh water anchor sprays on stainless chain guard, switched on lower and upper helm Reversible Maxwell VWC3500HT hydraulic anchor windlass with two station controls and chain counters on upper and lower stations Stainless steel #316 chain strippers with stoppers

Stainless steel #316 cleats on bow, amidships and afterdeck with hawses

Anchor protection stainless steel chafe plate

Rubber rub rail with stainless steel insert

Disclaimer



Water & fuel fillers Deck lights & full set navigation lights Six stainless steel oval shape (middle 2 opening) portholes

Forward deck Teak decking Fresh water deck wash separate pump, provision of pressure water tap for gurney in garage Reinforced anchor winch mount Two lockers with gas strut operated lids, with 2X 240Volt 50 amp power inlets in port locker and city water inside and porthole next Sun lounge pad on foredeck Bow seat with locker under 14" x 24" hatch Chain lockers with built-in shelving Aft deck Stainless steel #316 frame sliding door to salon with light tinted glass Stair with handrails to fly bridge and stair lights Stainless steel hatch to fly bridge Sink and cabinet Molded stairs down to swimming platform with rails and lights Fresh water deck wash Garage with water tight manual 900mm door with key lock, inside floor with drain throughout, double GFI power socket and shelving inside and air compressor outlet Walkway to fore deck with side lights on superstructure and inside bulwark Aft deck FRP seat with cushions & teak inlaid table with stainless steel adjustable base Self draining & freeing ports Afterdeck halogen lights with dimmers Blue LED lights on stairs and walk ways to switch lower helm Third station, with Kobelt engine controls, stop-start buttons and twin thruster controls Transom hot & cold fresh water shower Removable stainless rail chocks for tender Stainless steel #316 swimming ladder with timber steps Teak deck on aft deck, side walks and hydraulic swimming platform U shaped 1.5" stainless steel removable guard rails on hydraulic swimming platform City water on stairs 'Yachtsign' boat name on stern LENCO Trim Tabs with indicators on lower and upper helm

Interior High quality upholstery and curtain fabrics Cherry timber furnishings High gloss finish High quality door handles & cabinet latches Wood/granite for all cabinet tops

Lower Helm station

Disclaimer



Power assisted hydraulic steering system off engine pump Kobelt electronic gear and throttle controls Stainless steel/teak steering wheel 2 low amperage overhead dashboard lights with dimmer Start stop engines keys Audible and visual engine alarms Engine RPM gauges LCD CAT Bilge pump visual and audible warning indicators Boat panel with lights for bilge pump, high-level alarm, engine room blowers and navigation lights Naiad combined bow and stern thruster control panel Stabilizers control panel Two Onan genset control panels Remote windlass control with chain meter Search light remote control Marine horn remote control **Electrical compass** 2 Mastervolt charger/inverter controls (1 optional) 'Tankwatch' (3 x fuel, 1 x fresh water) Various switches for designated equipment and lights Two water maker controls/indicator panels (1 optional) Engine room fire extinguisher warning system Dashboard in black leather and teak **Raymarine Electronics:** 2 X E120 Multi Display 1 X 15" Remote Sun View VGA Monitor with Nobeltec Navigation software 1 X ST8002 Autopilot Control Head 1 X ST290 Graphic 1 X ST290 Compass 1 X DSM300HD Digital Module 1 X Ray240E VHF Radio 1 X E Series Remote Station Kit with E02009 Interphase forward looking Phased Array Scanner iScan 180 Nobeltec AIS200 Saloon Harwood floor with rubber underlay carpet Overhead in synthetic leather Sculptured ceiling centre Halogen ceiling lights on Vimar dimmer switches two locations (extra 5 optional) Drapes to all windows and curtains to aft doors Stairs leading down to aft cabin and laundry in solid wood steps with art centre Entertainment cabinet Bose 'Lifestyle 48' Entertainment System throughout upper deck 40" Sony Bravia Flat screen TV, stereo & speakers with surround sound Selection of storage cabinets and glass rack and bottle holders Wood/granite cabinet tops

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Galley and Dining area Marble and stainless steel floor Central vacuum system outlet Overhead in synthetic leather Halogen ceiling lightings with Vimar dimmer switches in 2 locations Drapes to all windows Kleenmaid induction 4 burner cook top Kleenmaid self cleaning pyrotectic oven 2 Liebherr under bench freezers 1 Liebherr under bench fridge Kleenmaid wine fridge Insinkerator Trash Compactor Kleenmaid Waste Disposal Professional Series Frankie steel sink Kleenmaid full size dishwasher Stainless steel GL microwave, with extractor to outside and with high flow extractor fan Grohe Europlus faucet with extendable shower Granite worktops (standard Corian) Selection of drawers below worktops Dining table with corner upholstered seating Stairs down to accommodation same as other stairs with art centre Starboard side door opening to main deck Stairs to fly bridge with storage cupboards under AC and DC electrical control panels 1X STIDD electric pilot chair Pull out pantry cupboard Starboard side cabinet, counter top in granite (standard Corian) Cabinets in timber and smoked glass Inside cabinets and drawers in white formica or cherry Aus GFI power sockets in various locations Crockery, cutlery, glassware, towels, etc. Master stateroom Carpet on rubber underlay finish floor Custom ceiling design Overhead in synthetic leather Halogen ceiling lightings with bedside dimmer and wall side switches Curtains or drapes to all windows Bed with upholstered bed head with air con outlets Couch in fabric on port Large walk-in wardrobe with drawers under All wardrobes, cabinets and drawers in all cabins in cedar Selection of cupboards and storage Mirror High-low cabinet with 32" Sony Bravia flat screen TV Bose 321GSX Sound system with surround sound 2 x bedside reading lights with dimmer switches

Disclaimer



Make-up section with drawers and chair

Six stainless portholes, one each side middle one opening with screens, all outside frameless Australian power sockets Extra heavy duty sound insulation between master and landing

1 X Raymarine ST290 Graphic Display

1 X Audio Alarm to Raymarine Anchor Alarm on lower helm E120.

Master Head

All head and shower floors granite All shower walls (standard Corian) All head ceilings bronze mirror with waterproof lights Headhunter Royal Flush Super bowl head Granite vanity tops with two inset ceramic sinks 'Grohe Euro Monobloc chrome basin mixers' Cupboards under vanity top Mirror and cupboards above vanity top Opening porthole with screen Electric heated towel rack Exhaust blower Large walk in shower with stainless steel framed glass door smoked glass Patterned smoked glass dividing panel between shower and head Toilet paper roll holder FRP shower ceiling with 2 waterproof halogen light, in corners Grohe Relexa plus Dual HP/LP chrome faucet for basin and shower Australian GFI power sockets

Forward stateroom Custom ceiling design Overhead in synthetic leather Halogen ceiling lightings with dimmer switch Drapes to all windows Queen size bed with upholstered bed head Large wardrobe with drawers under Couch in fabric Selection of storage cupboards Mirror 2 x bedside reading lights with dual switches Carpet on rubber underlay floor Opening portholes with screens Australian Power sockets

Forward head Bronze mirror ceiling with waterproof lights Headhunter toilet Granite floor Marble vanity tops with inset ceramic sink (Standard Corian) Australian GFI power sockets

Disclaimer



Cupboards under vanity top Cupboards above vanity top Opening porthole with screen Exhaust blower Large walk in shower with stainless frame patterned smoked glass door Marble shower floor with drain Corian shower wall FRP shower ceiling with waterproof halogen light Grohe Relexa plus Dual HP/LP chrome faucet for basin and shower

Aft VIP cabin Carpet on rubber underlay finish floor Custom ceiling design Overhead in synthetic leather Halogen ceiling lightings, switched on wall and dimmed from bedside Drapes to all windows Queen size bed with upholstered bed head Large wardrobe with drawers under Couch in fabric on starboard Selection of storage cupboards Mirror Flat screen TV 2 x bedside reading lights, switched at bedside Opening portholes with screens Australian Power sockets Aft VIP head Bronze mirror ceiling with waterproof lights Headhunter Royal Flush Super bowl bone color toilet Granite floor Marble vanity tops with inset ceramic sink (standard Corian) Heated towel rack Australian GFI power sockets Cupboards under vanity top Cupboards above vanity top Opening portholes with screens Exhaust blower Large walk in shower with stainless framed with smoked glass patterned door Marble floor with drain Corian shower walls FRP shower ceiling with waterproof halogen light Grohe Relexa plus Dual HP/LP chrome faucet for basin and shower

Aft companion way area Engine room access watertight door with sound insulation and window Granite floor with 2" marble kick board

Disclaimer



Aft Utility area Kleenmaid washing machine Kleenmaid tumble drier Power and plumbing connections Vanity with mirror and marble counter top Granite floor with drain and 2" granite kick board Steering system Hydraulic steering by Teleflex, autopilot required Stainless steel rudders w/stainless steel posts Engine room and equipment Watertight engine room bulkheads Strengthened ceiling with stainless hand rails Finished face white color Grey rubber 'button' floor Sea Chest Watertight door to engine room with window Leaded foam with aluminum plates for heat and sound insulation Extra sound insulation in forward bulkhead High volume nature engine air ventilation Engine room intake and extractor fan Engine exhaust silencers and water cooled exhausts Engines mounted on guiet and integrally bonded Engine alarm system for low oil pressure and high temperature Engines start & stop button 24v lights and 240v lights with switches next to access door Two sets double GFI 240v Aus. power sockets Water-cooled exhaust under water and by-pass outlets above water at transom Cathode protection for gearbox Gearbox, engines, fuel tanks, fillers, etc. all electrically bonded Automatic electric bilge pumps with high water level alarm Wrap exhaust pipe from engines for additional noise and heat insulation Fire boy fire extinguishing system Automatic shut off fire system Cruise Air air-conditioning, 240 volt AC/50HZ reverse cycle with total 120,000 BTU. Individually controlled in each cabin, including air conditioning to all heads and utility areas. Sound shielded Onan Generator 13.5 kw x 1 (on special rubber mounts) Sound shielded Onan Generator 22.5 kw x 1. (on special rubber mounts) Both with split exhaust systems, outlets at the sides of the boat. Racor fuel / water filters for generators Cold Fresh water outlet with tap Reverso Oil Change System- 6 valves, on 2 engines, 2 gear boxes and 2 gensets Fitting and mounts for generators and accessories Sump pumps with alarms Fresh water fill for engines Engine driven high volume bilge pump

Disclaimer



Electrical

ABB Power Source Electro Magnetic Selector Switch

100A Dolphin Power Supply

Color code marine grade wiring systems for easy identification

2X main electrical panels for separate AC power control and AC circuit breaker panel plus earth leakage circuit

breaker in dining area/stairways

12V / 24V DC panel with master switches

1 x Mastervolt 30amp 12V battery charger for radio batteries and navigation lights (on fly bridge)

1 x Mastervolt 30amp 12V battery charger for generator batteries

1 x Mastervolt 30amp 24V battery charger for engine batteries

2 x Mastervolt 120A/4000Watt 24V Mass Combi battery charger/inverters for domestic use batteries with digital info system at lower helm (1X Optional)

2 x Mastervolt BI-702 Charging isolator

10x Mastervolt 12/220 gel batteries for domestic system (4X optional)

4 x 200amp dry cell batteries for engines start

1 x 80amp battery for radio and navigation lights (on fly bridge)

2 x 120amp batteries for generators

Enclosed acid-proof fiberglass battery boxes with covers

High quality AC sockets and switches

2 x 50 amp shore power sockets, in port side foredeck locker, with port hole

2X 50 amp shore power sockets on aft

TV antenna wiring system with 5 outlets (saloon, dinette, master, aft VIP, forward cabin and aft deck)

Rope lights on valances

Vacumaid central vacuum system

All ceiling lights Imtra

Sharp high definition colour CCTV system, with switcher on lower helm, $2 \times camera$ in engine room, $1 \times aft$ platform, $1 \times aft$ deck

Plumbing

Aluminum fuel tanks with level sign gauge, separate filler and vents

Stainless steel water tanks with level sign gauge, separate filter and vents

Shore water inlet and connect by fresh water system

2 x 20gallon water heaters

All main pressure pipes 'SHOREFLOW 1", all branches $\frac{1}{2}$ "

2X fresh water 'Headhunter Mach 5' 240 volt pumps, 1 pump for master ensuite and forward VIP ensuite, second pump for aft cabin ensuite, galley, swim platform shower, fresh water deck wash, engine room and garage. Two accumulators.

Over-ride valve system for back-up in case of break-down of one.

Two holding tanks (50gallon aft and 100gallon forward with macerator pump and deck discharge,

Y valve for dockside pump out

All waste points to have Y-valves for overboard drainage

Holding tank gauges on electrical panel

2 X water makers (Sea Recovery Ultra Whisper UW500) on separate sea cocks/strainers and inlet filters (1X optional)

3 X Enclosed grey water holding tanks with pump and automatic float switches

3 x 2000GPH and 2 x 3700GPH electrical bilge pumps with automatic float switches in 4 compartments Color-coded plumbing system

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Miscellaneous

Hull boot stripes in Navy Blue 3 layers of gel shield before bottom paint in Navy Blue Emergency tiller

Under instructions from Andrew Fielding & David Whyte of BDO as receivers and managers of the vessel.

Disclaimer: We have, in preparing this information, used our best endeavours to ensure that the information contained therein is true and accurate, but accept no responsibility and disclaim all liability in respect of any errors, inaccuracies or misstatements contained herein.

Parties interested in any Ray White Marine services and/or products should make their own inquiries to verify the information contained herein.

1000
23.2
5.8
2
865
Diesel
8260

Engine Details	
Engine Make	CATERPILLAR
Horse Power	865
Fuel Type	Diesel
Fuel Capacity	8260

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.